## AMENDMENTS TO THE CLAIMS:

The listing of claims will replace all prior versions, and listings, of claims in the application:

## **LISTING OF CLAIMS:**

1. (Original) An intravascular stent for use in a body lumen, comprising: a plurality of cylindrical rings aligned along a longitudinal axis, each ring having a) a first, delivery diameter, b) a second, implanted diameter, c) proximal and distal ends defining a generally cylindrical wall extending circumferentially between the proximal and distal ends, and (d) wherein such generally cylindrical wall is defined by a series of undulations of preselected amplitudes which are in turn defined by bar arms that interconnect peaks and valleys, wherein undulations of a relatively large amplitude are separated by at least one undulation of a relatively small amplitude and wherein at least one bar arm interconnecting a peak of each large amplitude undulation with a valley of a small amplitude undulation is non-linear; and

at least one link connecting each cylindrical ring to an adjacent ring to form the stent.

- 2. (Original) The stent of claim 1, wherein said at least one non-linear bar arm has an S-shape.
- 3. (Original) The stent of claim 1, wherein only one bar arm interconnecting a peak of each large amplitude undulation with a valley of a small amplitude undulation is non-linear and wherein all other bar arms are linear.
- 4. (Original) The stent of claim 3, wherein said one non-linear bar arm has an S-shape.
- 5. (Original) The stent of claim 1, wherein said at least one link is non-linear.

- 6. (Original) The stent of claim 5, wherein said link has a Z-shape.
- 7. (Original) The stent of claim 5, wherein said link has a U-shape.
- 8. (Original) The stent of claim 1, wherein said series of undulations defining each cylindrical ring are in phase with respect to said series of undulations of each adjacent ring.
- 9. (Original) The stent of claim 1, wherein said series of undulations defining each cylindrical ring are out of phase with respect to said series of undulations of each adjacent ring.
- 10. (Original) The stent of claim 1, wherein said undulations of a relatively large amplitude are separated by a single undulation of a relatively small amplitude.
- 11. (Original) The stent of claim 10, wherein said at least one non-linear bar arm has an S-shape.
- 12. (Original) The stent of claim 10, wherein only one bar arm interconnecting a peak of each large amplitude undulation with a valley of a small amplitude undulation is non-linear and wherein all other bar arms are linear.
- 13. (Original) The stent of claim 12, wherein said one non-linear bar arm has an S-shape.
- 14. (Original) The stent of claim 10, wherein said series of undulations of each cylindrical ring are in phase with said series of undulations of each adjacent ring.
- 15. (Original) The stent of claim 10, wherein two links connect adjacent rings.
  - 16. (Original) The stent of claim 15, wherein said links are non-linear.
  - 17. (Original) The stent of claim 16, wherein said links each have a Z-shape.

- 18. (Original) The stent of claim 16, wherein said links extend between a peak and a valley of adjacent rings.
- 19. (Original) The stent of claim 1, wherein said undulations of relatively large amplitude are separated by two undulations of a relatively small amplitude.
- 20. (Original) The stent of claim 19, wherein said at least one non-linear bar arm has an S-shape.
- 21. (Original) The stent of claim 19, wherein only one bar arm interconnecting a peak of each large amplitude undulation with a valley of a small amplitude undulation is non-linear and wherein all other bar arms are linear.
- 22. (Original) The stent of claim 21, wherein said one non-linear bar arm has an S-shape.
- 23. (Original) The stent of claim 19, wherein said series of undulations of each cylindrical ring are out of phase with respect to said series of undulations of each adjacent ring.
- 24. (Original) The stent of claim 19, wherein two links connect adjacent rings.
  - 25. (Original) The stent of claim 24, wherein said links are non-linear.
- 26. (Original) The stent of claim 25, wherein said links each have a U-shape.
- 27. (Original) The stent of claim 25, wherein each of said links extend from a non-linear bar arm of a cylindrical ring to an adjacent cylindrical ring.
- 28. (Original) The stent of claim 27, wherein each of said links extends from only one non-linear bar arm.

29. (New) An intravascular stent for use in a body lumen, comprising:

a plurality of cylindrical rings aligned along a longitudinal axis, each ring having a) a first, delivery diameter, b) a second, implanted diameter, c) proximal and distal ends defining a generally cylindrical wall extending circumferentially between the proximal and distal ends, and d) wherein such generally cylindrical wall is defined by a series of undulations of preselected amplitudes which are in turn defined by bar arms that interconnect peaks and valleys, wherein undulations of a relatively large amplitude are separated by at least one undulation of a relatively small amplitude and wherein at least one bar arm interconnecting a peak of each large amplitude undulation with a valley of a small undulation is non-linear; and

at least one link connecting each cylindrical ring to an adjacent ring to form the stent;

the small amplitude undulation having a peak with a curved crest;

the peak of the large amplitude undulation being connected to a linear bar arm on one side and the non-linear bar arm extending to the small amplitude undulation on the other side.